EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	35965	control$4 same instruct$4 same computer same software	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:44
S2	121	control$4 same instruct$4 same computer same software and pressur$4 same sens$6 same user same control$4 same element$1 same connect $4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:45
S3	106	control$4 same instruct$4 same computer same software and pressur$4 same sens$6 same user same control$4 same element$1 same connect $4 and maximum same pressur$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:46
S4	99	control$4 same instruct$4 same computer same software and pressur$4 same sens$6 same user same control$4 same element$1 same connect $4 and user same maximum same pressur$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:46

S5	68	control$4 same instruct$4 same computer same software and pressur$4 same sens$6 same user same control$4 same element$1 same connect $4 and user same maximum same pressur$4 same stor$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:47
S6	51	control$4 same instruct$4 same computer same software and pressur$4 same sens$6 same user same control$4 same element$1 same connect $4 and user same maximum same pressur$4 same stor$4 same value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:48
S7	0	control$4 same instruct$4 same computer same software and pressur$4 same sens$6 same user same control$4 same element$1 same connect $4 and user same maximum same pressur$4 same stor$4 same value$1 and base$4 same storage$4 and ((LUT or lookup) same table) same generat$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:54

| S8 | 0 | control$4 same instruct$4 same computer same software and pressur$4 same sens$6 same user same control$4 same element$1 same connect $4 and user same maximum same pressur$4 same stor$4 same value$1 and base$4 same stor$4 and ((LUT or look-up) same table) same generat$4 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/04 13:55 |
| S9 | 44 | control$4 same instruct$4 same computer same software and pressur$4 same sens$6 same user same control$4 same element$1 same connect $4 and user same maximum same pressur$4 same stor$4 same value$1 and base$4 same stor$4 same value$1 | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/04 13:55 |

S10	0	control$4 same instruct$4 same computer same software and pressur$4 same sens$6 same user same control$4 same element$1 same connect $4 and user same maximum same pressur$4 same stor$4 same value$1 and base$4 same stor$4 same value$1 and ((LUT or look-up) same table) and generat$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:56
S11	1	touch$4 same (SCREEN OR PANEL$1) and user same maximum same pressur$4 same stor$4 same value$1 and base$4 same stor$4 same value$1 and ((LUT or look-up) same table) and generat$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:57
S12	20410	input same device and maximum same pressur$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:11
S13	14242	input same pressur$4 same sens$6 and maximum same pressur$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:11

S14	141	input same pressur$4 same sens$6 and user same maximum same pressur$4 same value$1 same stor$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:12
S15	69	input same pressur$4 same sens$6 and user same maximum same pressur$4 same value$1 same stor$4 and generat$4 same table$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:14
S16	40	input same pressur$4 same sens$6 and user same maximum same pressur$4 same value$1 same stor$4 and generat$4 same table$1 same bas$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:14
S17	293418	input same pressur$4 same sens$6 and user same maximum same pressur$4 same value$1 same stor$4 and generat$4 same table$1 same bas$4ame stor $4 same value $1 and perform $4 same function$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:15

S18	38	input same pressur$4 same sens$6 and user same maximum same pressur$4 same value$1 same stor$4 and generat$4 same table$1 same bas$4 same stor $4 same value $1 and perform $4 same function$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:15
S19	19	input same pressur$4 same sens$6 and user same maximum same pressur$4 same value$1 same stor$4 and generat$4 same table$1 same bas$4 same stor $4 same value $1 and perform $4 same different same function$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:17
S20	65325	pressur$4 same sens$6 same game input and maximum same pressur$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:23
S21	85	pressur$4 same sens$6 same game$1 same input$4 and maximum same pressur$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:23
S22	65	pressur$4 same sens$6 same game$1 same input$4 and maximum same pressur$4 same user	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:24

S23	14	pressur$4 same sens$6 same game$1 same input$4 and maximum same pressur$4 same user same value $1 same stor$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:24
S24	8	pressur$4 same sens$6 same game$1 same input$4 and maximum same pressur$4 same user same value $1 same stor$4 and generat$4 same table$1 same bas$4 same stor$4 same value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:28
S25	2	"6524187".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:32
S26	20693	"463"/$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:33
S27	15929	"463"/$.ccls. and input$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:33
S28	0	"463"/$.ccls. and input$4 and pressur$4 same snes$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:33
S29	821	"463"/$.ccls. and input$4 and pressur$4 same sens$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:33

S30	45	"463"/$.ccls. and input$4 and pressur$4 same sens$6 and maximum same pressur$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:34
S31	1	"463"/$.ccls. and input$4 and pressur$4 same sens$6 and maximum same pressur$4 same valu$4 same stor$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:34
S32	27	"463"/$.ccls. and input$4 and pressur$4 same sens$6 and maximum same pressur$4 same valu$4 and stor$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:36
S33	19	"463"/$.ccls. and input$4 and pressur$4 same sens$6 and maximum same pressur$4 same valu$4 and stor$4 and table$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:36
S34	5	"463"/$.ccls. and input$4 and pressur$4 same sens$6 and maximum same pressur$4 same valu$4 and stor$4 and table$1 same generat$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:36
S35	8	"463"/$.ccls. and input$4 and pressur$4 same sens$6 and user same pressur$4 same valu$4 and stor $4 and table$1 same generat$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:44

S36	3	"463"/$.ccls. and game$1 same input$4 and pressur$4 same sens$6 and user same pressur$4 same valu$4 same measur$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:45
S37	0	"463"/$.ccls. and game$1 same input$4 and pressur$4 same sens$6 and user same pressur$4 same valu$4 same (measur$4 and correct$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:47
S38	10	game$1 same input$4 and pressur$4 same sens$6 and user same pressur$4 same valu$4 same (measur$4 and correct$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:47
S39	5	game$1 same input$4 and pressur$4 same sens$6 and user same pressur$4 same valu$4 same (measur$4 and correct$4) same bas$4 same (game$1 or pre-determion$4) same game$1 same pressur$4 same value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:49
S40	49095	game$1 same input$4 same device$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:51

S41	2591	game$1 same input$4 same device$1 and pressur$4 same sens$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:51
S42	10	game$1 same input$4 same device$1 and pressur$4 same sens$6 and user same pressur$4 same valu$4 same (measur$4 and correct$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:51
S43	7	game$1 same input$4 same device$1 and pressur$4 same sens$6 and user same pressur$4 same valu$4 same (measur$4 and correct$4) and bas$4 same (game$1 or pre-determion$4) same pressur$4 same value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:52
S44	7	game$1 same input$4 same device$1 and pressur$4 same sens$6 and user same pressur$4 same valu$4 same (measur$4 and correct$4) and based same (game$1 or pre-determion$4) same pressur$4 same value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:52

S45	1	game$1 same input$4 adj device$1 and pressur$4 same sens$6 and user same pressur$4 same valu$4 same (measur$4 and correct$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:54
S46	2	game$1 same input$4 adj device$1 and user same pressur$4 same valu$4 same (measur$4 and correct$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:55
S47	31	game$1 same input$4 adj device$1 and user same pressur$4 same valu$4 same (measur$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:55
S48	0	game$1 same input$4 adj device$1 and user same pressur$4 adj (measur$4 same valu$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:14
S49	0	game$1 same input$4 adj device$1 and pressur$4 adj (measur$4 same valu$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:15
S50	640	game$1 adj input$4 adj device$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:15
S51	78841	game$1 adj input$4 adj device$1 amd pressur$4 adj measur$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:16

S52	22443	game$1 adj input$4 adj device$1 amd pressur$4 adj measur$4 adj value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:16
S53	0	game$1 adj input$4 adj device$1 and pressur$4 adj measur$4 adj value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:16
S54	0	game$1 adj input$4 adj device$1 and pressur$4 adj measur$4 adj value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:17
S55	0	game$1 adj input$4 adj device$1 and pressur$4 adj measur$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:17
S56	2	game$1 adj input$4 and pressur$4 adj measur$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:18
S57	1054	input$4 and pressur$4 same sens$6 and maximum same pressur$4 same valu$4 and stor $4 and table$1 same generat$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:35
S58	139	input$4 and pressur$4 same sens$6 and maximum same pressur$4 same valu$4 and stor $4 and table$1 same generat$4 same correct$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:35

S59	55	input$4 and pressur$4 same sens$6 and maximum same pressur$4 same valu$4 and stor$4 and table$1 same generat$4 same correct$4 same pressure same value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:36
S60	26	input$4 and pressur$4 adj sens$6 and maximum same pressur$4 same valu$4 and stor$4 and table$1 same generat$4 same correct$4 same pressure same value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:36
S61	7	input$4 and pressur$4 adj sens$6 and maximum same (pressur$4 adj valu$4) and stor$4 and table$1 same generat$4 same correct$4 same pressure same value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:37
S62	0	input$4 and pressur$4 adj sens$6 and maximum same (pressur$4 adj valu$4) and stor$4 and table$1 same generat$4 same correct$4 same (pressure adj value$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:37

S63	0	input$4 and pressur$4 adj sens$6 and maximum same (pressur$4 adj valu$4) and stor$4 and table$1 same generat$4 same correct$4 same (pressur$4 adj value$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:37
S64	0	input$4 and pressur$4 adj sens$6 and maximum same (pressur$4 adj valu$1) and stor$4 and table$1 same generat$4 same correct$4 same (pressur$4 adj value$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:37
S65	7	input$4 and pressur$4 adj sens$6 and maximum same (pressur$4 adj valu$1) and stor$4 and table$1 same generat$4 same correct$4 same pressure same value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:38
S66	7	input$4 and pressur$4 adj sens$6 and maximum same (pressur$4 adj valu$2) and stor$4 and table$1 same generat$4 same correct$4 same pressure same value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:38

S67	7	input$4 and pressur$4 adj sens$6 and maximum same (pressur$4 adj valu$2) and stor $4 and table$1 same generat$4 same correct$4 same (pressur $4 same valu $2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:39
S68	3	input$4 and pressur$4 adj sens$6 and maximum same (pressur$4 adj valu$2) same user and stor$4 and table$1 same generat$4 same correct$4 same (pressur $4 same valu $2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:39
S69	4	"463"/$.ccls. and input$4 and pressur$4 adj sens$6 and maximum same pressur$4 same valu$4 and stor $4 and table$1 same generat$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:41
S70	4	"463"/$.ccls. and input$4 and pressur$4 adj sens$6 same maximum adj valu$4 and stor$4 and table $1 same generat $4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:42
S71	48	input$4 and pressur$4 adj sens$6 same maximum adj valu$4 and stor $4 and table$1 same generat$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:44

S72	20	input$4 and pressur$4 adj sens$6 same maximum adj valu$4 and stor$4 and table$1 adj generat$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:57
S73	0	input$4 and pressur$4 adj sens$6 same maximum adj valu$4 and stor$4 and table$1 adj generat$4 same correct$4 same value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:58
S74	2	input$4 and pressur$4 adj sens$6 same maximum adj valu$4 same user and stor$4 and table$1 adj generat$4 and correct$4 same value$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:01
S75	2	input$4 and pressur$4 adj sens$6 same maximum adj valu$4 same user and stor$4 and table$1 adj generat$4 and correct$4 same value$1 and game$1 adj program$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:10
S76	1054	input$4 and pressur$4 same sens$6 and maximum same pressur$4 same valu$4 and stor$4 and table$1 same generat$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:10

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S77	1	input$4 and pressur$4 adj sens$6 same maximum adj valu$4 same user and stor$4 and table$1 adj generat$4 and correct$4 same value$1	USPAT; UPAD	OR	OFF	2009/12/05 18:01
S78	1	input$4 and pressur$4 adj sens$6 same maximum adj valu$4 same user and stor$4 and table$1 adj generat$4 and correct$4 same value$1 and game$1 adj program$5	USPAT; UPAD	OR	OFF	2009/12/05 18:12

12/6/2009 11:29:33 AM
C:\ Documents and Settings\ pdharia\ My Documents\ EAST\ Workspaces\ 09758033 12-05-2009.wsp